## Demonstration of 200 kA CHI Startup Current Coupling to Transformer Drive on NSTX

B.A. Nelson<sup>1</sup>, R. Raman<sup>1</sup>, T.R. Jarboe<sup>1</sup>, D. Mueller<sup>2</sup>, L. Roquemore<sup>2</sup>, V. Soukhanovskii<sup>3</sup>, and the NSTX Research Team<sup>2</sup> <sup>1</sup>University of Washington, Seattle WA USA <sup>2</sup>Princeton Plasma Physics Laboratory, Princeton NJ USA <sup>3</sup>Lawrence Livermore National Laboratory, Livermore, CA, USA

Discharges started by Transient Coaxial Helicity Injection (CHI) in NSTX [1] have attained peak currents up to 300 kA for the first time. When these discharges are coupled to induction, it has produced up to 200 kA additional current over inductive-only operation. For the first time, the CHI-produced toroidal current that couples to induction has continued to increase with the energy supplied by the CHI power supply at otherwise similar values of the injector flux. Furthermore, CHI in NSTX has shown to be energetically quite efficient, producing a plasma current of about 10 A/Joule of capacitor bank energy. These results indicate the potential for substantial current generation capability by CHI in NSTX and in future toroidal devices. Solenoid-free startup is a critical issue for future spherical tori (STs) designs, as the central-axis region is limited both physically and by the nuclear environment. Toroidal magnetic configurations based on the conventional tokamak might also benefit if the central solenoid could be eliminated.



Figure 1: Shown are (a) the plasma current and preprogrammed loop voltage for two discharges. Discharge 135622 is a reference discharge in which the absorber PF coils were not energized. In discharge 135616 the absorber PF coils provided a buffer flux to the evolving CHI discharge. Also shown are (b) the injector current, signal from a central chord bolometer, the upper and lower divertor O-II signals.

In earlier work, up to 50 kA of toroidal plasma current produced by the non-inductive method of CHI was successfully coupled to inductive ramp-up in NSTX. However, in these experiments, the CHI current that could be successfully coupled was limited by impurity production in the divertor region and the occurrence of absorber arcs (i.e. parasitic discharges across the insulating gap in the upper divertor). In the experiments, recent extensive conditioning of the divertor plates that serve as the electrodes for the CHI discharge greatly reduced impurity production during CHI. This was accomplished by running discharges between the divertor electrodes for up to 0.4 s using a

rectifier power supply. Further, by energizing, for the first time, the axisymmetric absorber fieldnulling coils [2] located near the upper divertor in NSTX, the absorber arcs could be delayed or suppressed. It was found that a rapid ramp of the absorber-nulling coil current created a buffer to prevent the rapidly expanding CHI plasma from approaching the absorber gap and initiating an absorber arc. This is illustrated in Figure 1. Discharge 135622, which has no current in the absorber poloidal field coils but otherwise identical conditions, shows no coupling to induction. An examination of the injector current trace shows the characteristic spike at 9 ms indicative of an absorber arc, which is absent for the discharge with the buffer flux applied. On the other hand, in the discharge 135616 with buffer flux applied, the CHI-produced discharge couples well to induction and ramps up eventually to 800 kA.



Figure 2: (a) Shown are plasma current and radiated power traces from a scan in which the size of the CHI capacitor bank power supply was increased from 5 to 20 mF. Discharge 135621 is a reference inductive-only discharge. (b) CHI injector current and spectroscopic traces for the four discharges.

In addition to these combined improvements, the use of evaporated coatings of lithium on the plasma facing components in NSTX [3] increased the current at the hand-off from CHI to induction to nearly 200 kA. Later in the inductive ramp-up, the discharges with CHI applied reached significantly higher plasma current than discharges with only the inductive loop voltage applied. This is shown in Figure 2 for discharges with identical programming of the central solenoid current. The plasma current at t = 50 ms increased from 340 kA with induction only to 520 kA with CHI. This represents a poloidal flux saving equivalent to 180 kA of plasma current which is ~25% of the flat-top current of 700 kA typical of long-pulse scenarios on NSTX. This result was obtained utilizing only 30% of the energy available from the CHI capacitor bank (15 mF of the available 50 mF). Discharge 135618 with four capacitors reached an initial peak of 300 kA, which is a record for transient CHI-started discharges in a ST or tokamak. The initial stored capacitor bank energy is 27 kJ, which is quite modest. Although this too subsequently shows better performance than the inductive-only discharge, it is not as good as that for the two and three capacitor cases. The reason for this is seen in Figure 2(b), which shows that the constant value of buffer field that was used for all cases was inadequate for this higher current discharge as an absorber arc occurred and consequently there was additional impurity influx. These results indicate that more buffer flux is required for the higher current CHI discharges but in these experiments, the absorber PF coil currents were limited by their power supplies.

These results represent a factor of four improvement in the magnitude of current that was ramped up by induction, a factor of three increase in the initial start-up current, and the first results demonstrating flux savings in NSTX. The CHI-started discharge, when coupled to induction produces about 60% more current than the comparison inductive-only case. These results confirm that CHI could be an important tool for non-inductive start-up in next-step STs. This work was supported by U.S. DOE contract #DE-FG02-99ER54519

References:

[1] R. Raman et al., Nuc. Fus., 49, 065006 (2009)

[2] T.R. Jarboe, Fus. Tech. 15, 7 (1989)

[3] H.W. Kugel et al., J. Nuc. Mat., 390-391, 1 (2009)]