

# XP?? Improved lithium coverage with diffusive Li injection

*Charles Skinner and NSTX team.*

## Motivation:

- Density and impurity control is goal of multi-year Li program on NSTX.
- But so far elimination of ELMs by Li has caused impurity accumulation late in discharge.
- Core carbon levels actually increase with Li. (R. Bell).
- Asdex experience showed that carbon impurities were not reduced without complete W coating of C.
- Complete Li wall coverage in NSTX may be essential to reap full benefits of Li.


## Potential methods:

- Combination of LiTER + Li Dropper (XP913)
- Diffusive injection of Li (this XP).


# Asdex experience

A. Kallenbach *et al*

Nucl. Fusion **49** (2009) 045007



Poloidal cross section with colour coded PFCs representing the time of implementation of W coated tiles.




total deposited in 3000 s (g):

	2002/3	2004/5	2005/6	2007
<b>C</b>	14.6	13.8	2.2	1.0
<b>B</b>	2.8	4.7	2.3	≈ 0

In 2002/3, the inner heat shield and upper inner divertor were W coated, the coating of the lower divertor before the 2007 campaign completed the transformation to full W. Also shown is the temporal evolution of the D content for various plasma facing components. The table gives the total amount of deposited C and B in the inner divertor.

# Li injection

- Li atoms injected under high vacuum conditions follow line of sight trajectories to lower divertor.
- Li atoms injected into low pressure gas will diffuse according to mean free path.
- Think Windex !  
- switch from stream to spray !




# Li mean free path in helium

## Calculation by Krstic Predrag for PSI18


•The mean free path ( $\lambda_1$ ) of neutral lithium in molecular deuterium was calculated from the momentum transfer scattering cross section ( $\sigma_{12}$ ) using the formalism in [1] for a multicomponent gas with,  $i=1,2$ , the average velocities of species  $i$ , and averaging over the angles of the relative velocity. The cross sections were calculated on basis of highly accurate calculations of LiH ground singlet ( $\sigma_{12}^s$ ) and triplet ( $\sigma_{12}^t$ ) potential curves, using coupled cluster singles-doubles-triples-quadruples (CCSDTQ) method with unrestricted Hartree-Fock [2], equivalent to the full configuration interaction for 4 electron systems, and are in good agreement with the full valence CI calculations of Boutalib et al. [3]. Fully quantum-mechanical calculations of the cross sections, convergent in partial waves, were performed in the range  $10^{-4} - 0.12$  eV, using Johnson method of logarithmic derivatives [4] and applying plane-wave boundary conditions for nuclear motion at  $R_{\max}=100$  Bohrs. The singlet and triplet potentials were smoothly matched to the asymptotic Van der Waals form [5]. The calculated mean free path of Li at 627 °C in a hypothetical atmosphere of 1 mtorr (0.13 Pa) of atomic deuterium at 27 °C is 3.94 cm. The momentum transfer cross section of lithium on molecular deuterium was estimated from Li+D cross section using analogy with comparison of fully quantal results of H+D and H+D<sub>2</sub> in refs. [6].

•The Li-He mean free path was calculated using the same approach as for deuterium with the diffusion cross sections from ref. [7]. The mean free path of neutral lithium at 627 °C in 2.5 mtorr of helium at 27 °C was calculated to be 2.7 cm.



# Lithium deposition changed by D<sub>2</sub> puff

- Quartz Microbalance data.
- Gas only D<sub>2</sub> pulse 1.3 mtorr.
- Deposition in line-of-sight QMB at Bay H bottom interrupted
- Deposition of shadowed QMB at Bay H top begins.
- Situation reverts on D<sub>2</sub> pumpout.



J. Nucl. Mater., 390-391 (2009) 1005

# 0.5 day XP

- 1) Establish baseline LSN, Li conditioned, ELM-free H-mode with impurity accumulation.
- 2) Perform staged Li deposition, both LiTERs 10 mg/min:  
Fill to 2.5 mtorr He with GDC system (no plasma), close TMPs, then partial pump out to:  
0.225 mtorr He (0.30 m mfp), 3 minutes then partial pump out,  
0.096 mtorr He (0.70 m mfp), 3 minutes then partial pump out,  
0.045 mtorr He (1.50 m mfp), 3 minutes then full pump out,  
base vacuum, 3 minutes.  
Wait 5 mins for any helium pump out (note no HeGDC and lower pressure He than 2007)
- 3) Repeat ELM free H-mode and check on impurity accumulation.
- 4) Repeat step 2 and 3
- 6) Repeat step 2 and 3
  
- 8) Try 3 discharges at shorter mfp (0.1, 0.2, 0.3 m)
- 9) Try 3 discharges at longer mfp (1, 1.5, 2 m) to coat sides of centerstack.  
Increase 5 min wait to 10 mins if helium 304Å line becomes prominent on SPRED.

Key Diagnostics: Radiated power, Zeff, CHERS core C density, SPRED


# TJ-11 Coating System Upgrade

(Tabares talk April 09)

Searching for homogeneity:

8 ovens, loaded for repetitive, in situ evaporation ( 6-8 cycles)

- Diffusion can help:  $\Phi_{\text{diff}} = 1/3 \lambda \cdot v \cdot n/a$ ,  $\lambda @ 10^{-5}$  mbar He  $\sim 80\text{cm}$



$$n(x) \sim 1/x^2 \cdot \exp(-x/\lambda)$$
$$\Phi_{\text{diff}}(x) = n_0 \exp(-x/\lambda) / \lambda \cdot 2\pi a, \quad \lambda \sim 1/P_{\text{He}}$$

### Free Parameters:

- Type of gas
- Bkgnd pressure
- Distance between ovens

Long term: LLL in TJ-II(?)