



ENG-064 - ICD - INTERFACE CONTROL DOCUMENT

Coolant Systems - Operations & Systems Safety

NSTXU_1-3-2_ICD_101

Work Planning #:
Effective Date: **03/06/2020**
Prepared By: **Peter Dugan**

Reviewed By	Joseph Petrella, Responsible Engineer	03/04/2020 15:25:02 PM
Reviewed By	Yuhu Zhai, Project Engineer	03/06/2020 16:38:37 PM
Reviewed By	Timothy N. Stevenson, Responsible Engineer	02/24/2020 11:58:40 AM
Approved By	Robert A. Ellis, Chief Engineer	03/06/2020 17:50:27 PM



National Spherical Torus eXperiment Upgrade

National Spherical Torus Experiment Upgrade

Interface Control Document

Coolant Systems : Operations & Systems Safety

NSTX-U-ICD-CLS-OSS

**Revision 0
January 18, 2020**

Prepared By: P. Dugan, Systems Engineering

Reviewed By: J. Petrella, Coolant Systems RE

Reviewed: T.. Stevenson, OSS RE

Reviewed By: Y. Zhai, NSTX-U Project Engineer

Approved By: R. Ellis, NSTX-U Chief Engineer



Change Record

Revision	Date	Description of Change
0	January 18, 2020	Initial Release

References

- [1] GENERAL REQUIREMENTS DOCUMENT, NSTX-U-RQMT-GRD-001-01
- [2] SYSTEM REQUIREMENTS DOCUMENT, AUXILIARY SYSTEMS, NSTX-U-RQMT-SRD-005-01.
- [3] SYSTEM REQUIREMENTS DOCUMENT, Operations and Safety Systems, NSTX-U-RQMT-SRD-012-00.
- [4] REQUIREMENTS DOCUMENT, Centralized Control System, NSTX-U-RQMT-RD-025-00.

1. Purpose

This document describes the various interfaces between the following subsystems: Coolant System and the Operations & Safety System. The interface locations and boundaries that connect the Coolant System to the Operations & Safety System are identified based on different interface types.

2. Scope

The Coolant Systems consists of High and Low-Pressure NTC Coolant Water Distribution, Field Coil and Bus Bar Water Coolant System, De-ionization process, and OH-Water Pre-Heater System. The OSS consists of the Personnel Safety System - Safety Instrumented System, Trapped Key System, Configuration Managed Safeguards, Centralized Control System, Vessel and Diagnostic Ground Systems, Radiation Monitoring System, and Test Cell Oxygen Deficiency Monitor. The scope of this document addresses any defined interfaces between these identified system elements.

3. Responsibilities

The interfaces are managed between the following organizations:

- Coolant System
- Operations & Safety System
- Systems Engineering and Integration

4. Interfaces

Interface requirements in the following sections are identified with a requirement number, ICD followed by a number [ICD-CLS-OSS-X] where X is a sequential count beginning with 001, CLS represents Coolant System and OSS represents Operations & Safety System. There is also a unique identifier for all interfaces in the format [#####-#####-X]. The identifier is a concatenation of two level 5 SBS values and the interface type. This is followed by an interface description and a list of references. References provide evidence pertaining to interfaces include but are not limited to drawings, calculations, or specifications. References also include a reference to a paragraph that identifies the set of interface definitions.

4.1. Interface Types

The top-level interface types are defined in Table 1. Within each heading there are sub-headings to address any special sub-elements that need consideration. For example, the Mechanical has four sub-elements that need to be addressed: Structural, Spatial, Location, and Wall/Floor Penetration. For those interface types with sub-interfaces there are corresponding sub-sections.

Table 1. Interface Types

Heading	Abbreviation	Name
4.2	Me	Mechanical
4.3	Ep	Electrical Power
4.4	Si	Signal
4.5	Di	Diagnostics
4.6	Gf	Gas/Fluid
4.7	Va	Vacuum
4.8	Sw	Software
4.9	Th	Thermal
4.10	Pe	Plasma/Eddy/Halo Current

Table 2 provides the N2 Diagram identifying all the interfaces for NSTX-U while Table 3 provides the specific details of the interface.

Table 2. N2 Diagram Interface types

Plasma Facing Components	Me,Th,Pe		Me,Th,Va,Pe						Me	Me	Me,Pe		Me			
	In-Vessel Structures	Me,Di,Pe			Th			Me,Th,Pe	Me		Me,Pe			Di		
		Vacuum Vessel Structure			Me,Va	Me,Va	Me	Me,Th,Pe	Me	Me,Va	Me,Di,Va		Si	Di,Me		
		Va	Centerstack Structures			Va,Th	Me,Gf	Me	Me					Di		
		Me	Me,Th,Ep	Magnets				Me			Di		Si	Di	Me	
Si		Me,Va			Heating Systems		Gf	Th		Me		Si	Si	Si	Si,Me,Di	
					Si,Va,Me,Sw,Gf	Vacuum Pumping System		Si	Si	Si	Si		Si,Va	Si	Si	
				Gf,Si			Coolant System	Gf				Gf,Sw	Si,Sw	Si	Si	
	Th,Gf	Ep,Di,Th,Va	Ep,Gf,Th,Pe		Si		Si	Bakeout System							Si,Me	
			Gf,Va			Me,Gf,Si			Gas Delivery System	Gf	Va		Si,Sw	Si	Si,Me	
		Gf				Si,Gf,Va		Me	Wall Conditioning System				Si,Sw		Me	
		Me,Va	Me,Va	Me	Me	Gf,Si	Gf			Va,Ep	Diagnostics		Si,Sw	Si	Si,Me	Si
				Ep	Ep	Ep	Ep	Ep	Ep	Ep	Ep	Power Systems	Ep,Si	Ep,Si	Si,Me,Di	Ep
					Si					Me,Si	Si		Centralized Instrumentation and Control	Si,Me		
												Si	Si,Sw	Integrated Machine Operations		
								Ep							Operations & Safety Systems	
Me		Me	Me	Me	Me	Me		Me	Me	Me	Me	Me	Me	Me	Me,Ep	D-Site Locations (Test Cell)

Table 3. Callout

Coolant System	Si
	Operations & Safety Systems

The remainder of this document addresses each of the interfaces. Note the template includes a paragraph heading for each interface and a table for each interface type. In the event there is no interface, the table will remain blank with a blank row.

The following paragraphs in Section 4 address each of the interfaces, and Section 5 addresses any off-project interfaces. Off-project interfaces are those external interfaces that interact with the NSTX-U system.

4.2. Mechanical Interfaces

This paragraph addresses any type of mechanical interfaces that include a structural, spatial, location dependent interfaces or areas where penetrations into a wall or floor are required. These are identified independently as interface parameters will likely be different.

4.2.1. Structural Interfaces

This identifies any interfaces between system elements that require a structural interface. This could be based on various forces placed on the system and by the system.

Identifier	Interface	References
N/A		

4.2.2. Spatial Interface

This identifies any interfaces between the system elements pertaining to spatial restrictions or constraints.

Identifier	Interface	References
N/A		

4.2.3. Location Interfaces

This identifies any interfaces between the system elements that have any particular dependencies on element location or location constraints.

Identifier	Interface	References
N/A		

4.2.4. Wall/Floor Penetration Interfaces

This identifies any interfaces between the system elements any penetrations or modifications to the wall or floor of the D-Site building.

Identifier	Interface	References
N/A		

4.3. Electrical Power Interfaces

This identifies any interfaces between the system elements requiring AC, DC, rectification or power conditioning.

Identifier	Interface	References
N/A		

4.4. Signal Interfaces

This identifies any interfaces between the system elements and signals that are used to either send or receive control information or data. It explicitly includes the type of physical interface such as Ethernet or Fiber Optic or any specific protocols.

Identifier	Interface	References
1.3.2.1.2 -1.7.3.8-Si	The CCS sends a No E-Stop signal to the PLC controlling the High Pressure Cooling Water .	See Paragraph 4.4.1, Drawing 5GA548,5GA505
1.3.2.1.3 -1.7.3.8-Si	The CCS sends a No E-Stop signal to the PLC controlling the OH water Pre-Heater System.	See Paragraph 4.4.1, 5GA548

Interface Notes:

- The NO-ESTOP signals include all water systems. As such the same drawing is used for all system components.

4.4.1. CCS – Hi Pressure Cooling Water

ICD-CLS-OSS-001: The CCS sends a NO-ESTOP signal to the water system as shown in drawing 5GA548. Drawing 5GA505 Sheet 162 provides a detailed view of the interface. The PLC is stored in rack CTC-EE-573.

ICD-CLS-OSS-002: The signal is 120 VAC.

4.4.2. CCS – OH Water Pre-Heater

ICD-CLS-OSS-003: CCS sends a NO-ESTOP signal to the OH Water Pre-Heater in drawing 5GA548.

ICD-CLS-OSS-004: The signal is 120 VAC.

4.5. Diagnostic Interfaces

This identifies any interfaces between the system elements with any instrumentation or diagnostic equipment to collect performance data.

Identifier	Interface	References
N/A		

4.6. Gas/Fluid Interfaces

This paragraph has two different types of interfaces: Gas and Fluid.

4.6.1. Gas Interfaces

This identifies any interfaces between the system elements that use any type of gas (e.g., He).

Identifier	Interface	References
N/A		

4.6.2. Fluid Interfaces

This identifies any interfaces between the system elements that use any type of fluid (e.g., ionized water).

Identifier	Interface	References
N/A		

4.7. Vacuum Interfaces

This identifies any interfaces between the system elements that pertain to the Vacuum.

Identifier	Interface	References
N/A		

4.8. Software Interfaces

This identifies any interfaces between the system elements that use software that may exchange interfaces with other software components. This includes application programming interfaces (APIs) or any other exchange of information between different software applications.

Identifier	Interface	References
N/A		

4.9. Thermal Interfaces

This identifies any interfaces between the system elements that pertain to Thermal characteristics.

Identifier	Interface	References

N/A		
-----	--	--

4.10. Plasma Interfaces

This paragraph has two different types of interfaces: Plasma and Eddy/Halo Current.

4.10.1. Plasma Interfaces

This identifies any interfaces between the system elements with the Plasma.

Identifier	Interface	References
N/A		

4.10.2. Eddy/Halo Current Interfaces

This identifies any interfaces between the system elements with the Eddy/Halo Currents.

Identifier	Interface	References
N/A		

5. Off-Project Interfaces

The off-project interfaces are components that are not specifically part of the NSTX-U system. They may include external systems and interfaces where the program has little control on part of the interface. They are provided for completeness.

There are no external interfaces.